ESTUARINE AND COASTAL MARINE SCIENCE

Volume 8
1979

ACADEMIC PRESS
London and New York

Published by Academic Press Inc. (London) Ltd in association with the Estuarine and Brackish Water Sciences Association

ISSN 0302–3524

Copyright © 1979, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any
form, by photostat, microfilm, or any other means,
without written permission from the publishers.

Printed in Great Britain

Contents of Volume 8

Number 1, January 1979

Page

Reading, C. J., Changes in the downshore distribution of *Macoma balthica* (L.) in relation to shell length 1

Kendall, M. A., The stability of the deposit feeding community of a mud flat in the River Tees 15

Rashid, M. A. and Reinson, G. E., Organic matter in surficial sediments of the Miramichi estuary, New Brunswick, Canada 23

Jones, G. B. and Jordan, M. B., The distribution of organic material and trace metals in sediments from the River Liffey Estuary, Dublin 37

Collins, M., Ferentinos, G. and Banner, F. T., The hydrodynamics and sedimentology of a high (tidal and wave) energy embayment (Swansea Bay, northern Bristol Channel) 48

Thompson, S. and Eglinton, G., The presence of pollutant hydrocarbons in estuarine epipelic diatom populations. II. Diatom slimes 75

Myers, A. C., Summer and winter burrows of a mantis shrimp, *Squilla empusa*, in Narraganset Bay, Rhode Island (U.S.A.) 87

Number 2, February 1979

Page

Meredith, W. H. and Lotrich, V. A., Production dynamics of a tidal creek population of *Fundulus heteroclitus* (Linnaeus) 99

Strain, P. M. and Tan, F. C., Carbon and oxygen isotope ratios in the Saguenay Fjord and the St Lawrence Estuary and their implications for paleoenvironmental studies 119

Bennett, J. T. and Carpenter, R., Concentrations and temporal variations of ^{210}Po, ^{210}Pb, and Al in the surf zone ecosystem of Copalis Beach, Washington . . 127

Blake, R. W., On the exploitation of a natural population of *Nereis virens* Sars from the north-east coast of England 141

Smith, N. P., Meteorological forcing of coastal waters by the inverse barometer effect 149

PARKER, M. and WEST, B., The natural history of *Neomysis integer* (Leach) in Lough Furnace, Co. Mayo, a brackish lough in the west of Ireland 157

BOTTON, M. L., Effects of sewage sludge on the benthic invertebrate community of the inshore New York Bight 169

MAURER, D., LEATHEM, W., KINNER, P. and TINSMAN, J., Seasonal fluctuations in coastal benthic invertebrate assemblages 181

NOTES AND DISCUSSIONS

BUTLER, E. I., Nutrient balance in the Western English Channel . . 195

DYE, A. H., Quantitative estimation of protozoa from sandy substrates . . 199

NUMBER 3, MARCH 1979

Page

SCHONBECK, M. and NORTON, T. A., The effects of brief periodic submergence on intertidal fucoid algae 205

TAN, F. C. and STRAIN, P. M., Organic carbon isotope ratios in recent sediments in the St Lawrence estuary and the Gulf of St Lawrence 213

CHESNEY, E. J. Jr. and IGLESIAS, J., Seasonal distribution, abundance and diversity of demersal fishes in the inner Ria de Arosa, Northwest Spain . . . 227

BARVENIK, F. W. and MALLOY, S. C., Kinetic patterns of microbial amino acid uptake and mineralization in marine waters 241

REED, R. H. and RUSSELL, G., Adaptation to salinity stress in populations of *Enteromorpha intestinalis* (L.) Link 251

CLIFTON, R. J. and HAMILTON, E. I., Lead-210 chronology in relation to levels of elements in dated sediment core profiles 259

HAMILTON, E. I. and CLIFTON, R. J., Isotopic abundances of lead in estuarine sediments, Swansea Bay, Bristol Channel 271

ANDERSON, D. M. and MOREL, F. M. M., The seeding of two red tide blooms by the germination of benthic *Gonyaulax tamarensis* hypnocysts 279

ANNOUNCEMENTS 295

Number 4, April 1979

Page

Heip, C. and Herman, R., Production of *Nereis diversicolor* O. F. Muller (Polychaeta) in a shallow brackish water pond 297

Capuzzo, J. M., The effects of halogen toxicants on survival, feeding and egg production of the Rotifer *Brachionus plicatilis* 307

Lewis, R. E., Transverse velocity and salinity variations in the Tees Estuary . 317

Chalmers, A. G., The effects of fertilization on nitrogen distribution in a *Spartina alterniflora* salt marsh 327

Wood, T., A modification of existing simple segmented tidal prism models of mixing in estuaries 339

Burns, K. A. and Teal, J. M., The West Falmouth oil spill: hydrocarbons in the salt marsh ecosystem 349

Hodgins, D. O., A time-dependent two-layer model of fjord circulation and its application to Alberni Inlet, British Columbia 361

Notes and Discussions

Kosiur, D. R. and Warford, A. L., Methane production and oxidation in Santa Barbara Basin sediments 379

Taylor, D., The effect of discharges from three industrialized estuaries on the distribution of heavy metals in the coastal sediments of the North Sea . . 387

Thorpe, J. P. and Ryland, J. S., Cryptic speciation detected by biochemical genetics in three ecologically important intertidal bryozoans . . . 395

Number 5, May 1979

Page

Eilers, H. P., Production ecology in an Oregon coastal salt marsh . . 399

Chambers, M. R. and Milne, H., Seasonal variation in the condition of some intertidal invertebrates of the Ythan Estuary, Scotland 411

Garlo, E. V., Milstein, C. B. and Jahn, A. E., Impact of hypoxic conditions in the vicinity of Little Egg Inlet, New Jersey in summer 1976 . . . 421

Khfaji, A. K. and Norton, T. A., The effects of salinity on the distribution of *Fucus ceranoides* 433

Wormald, A. P. and Stirling, H. P., A preliminary investigation of nutrient enrichment in experimental sand columns and its effect on tropical intertidal bacteria and meiofauna 441

LAROCHE, J. L. and RICHARDSON, S. L., Winter–spring abundance of larval English sole, *Parophrys vetulus*, between the Columbia River and Cape Blanco, Oregon during 1972–1975 with notes on occurrences of three other pleuronectids . . 455

DELAUNE, R. D., BURESH, R. J. and PATRICK, W. H. Jr., Relationship of soil properties to standing crop biomass of *Spartina alterniflora* in a Louisiana marsh . 477

NOTES AND DISCUSSIONS

RATTRAY, M. Jr., and OFFICER, C. B., Distribution of a non-conservative constituent in an estuary with application to the numerical simulation of dissolved silica in the San Francisco Bay 489

ALLANSON, B. R. and RUDD, S., New tables for the first and second apparent dissociation constants, K_1 and K_2 of carbonic acid for estuarine and brackish waters . 495

NUMBER 6, JUNE 1979

FRY, B. and PARKER, P. L., Animal diet in Texas seagrass meadows: $\delta^{13}C$ evidence for the importance of benthic plants 499

CONTE, M. H., OTTO, R. G. and MILLER, P. E., Short-term variability in surface catches of ichthyoplankton in the upper Chesapeake Bay . . . 511

SHOLKOVITZ, E. R., Chemical and physical processes controlling the chemical composition of suspended material in the River Tay Estuary . . . 523

PARSONS, T. R. and BAWDEN, C. A., A controlled ecosystem for the study of the food requirements of amphipod populations 547

POSMENTIER, E. S. and RAYMONT, J. M., Variations of longitudinal diffusivity in the Hudson estuary 555

LEE, W. Y. and MCALICE, B. J., Sampling variability of marine zooplankton in a tidal estuary 565

HEATH, R. A., Resonant over-tide across and along Tasman Bay, New Zealand . 583

Index to Volume 8

Note: The subject index is based upon the keywords allocated to each paper. The keywords are rotated in order so that each one appears once as the first index term. The complete list of permitted keywords is published in *Estuarine and Coastal Marine Science* **5** (2), i–xl.

Abundance; distribution; size composition; age composition; environmental conditions; Oregon coast; fish larvae; Pleuronectiformes, 455

—; food organisms; estuarine; upwelling; mussels; Spain coast; demersal fauna; fish, 227

Adaptation; laboratory methods; Isle of Man; algae; eulittoral zones; salinity tolerance, 251

Age composition; environmental conditions; Oregon coast; fish larvae; Pleuronectiformes; abundance; distribution; size composition, 455

Algae; littoral; eulittoral zones; salinity tolerance; adaptation; laboratory methods; Isle of Man, 251

ALLANSON, B. R. and RUDD, S., New table for the first and second Apparent dissociation constants, K'_1 and K'_2 of Carbonic acid for estuarine and brackish waters, 495

Aluminum; diatoms; benthos; seasonal variations; surf zone; Washington coast; polonium; lead, 127

Amino acids; heterotrophs; microbial activity; uptake; mineralization; Long Island coast; kinetics, 241

Amphipoda; population dynamics; feeding habits; life cycles; laboratory culture, 547

Anadromous fish; ichthyoplankton surveys; variation; Chesapeake Bay, 511

ANDERSON, D. M. and MOREL, F. M. M., The seeding of the two red tide blooms by the germination of benthic *Gonyaulax tamarensis* hypnocysts, 279

Anoxic basins; sediments; Santa Barbara Basin; methane; production; oxidation, 379

Aquaculture, *Nereis virens*; exploitation; colonization, 141

Autecology; Narragansett Bay; Stematopoda; burrows; seasonal variations; sediment structures; estuarine fauna, 87

—; social behaviour; feeding habits; brackish waters; lakes; evolution; Ireland; Mysidacea, 157

Bacteria; phosphate content; Hong Kong coast; sand columns; nutrient enrichment; sewage; meiofauna, 441

BANNER, F. T., *see* COLLINS, M., 49

BARVENIK, F. W. and MALLOY, S. C., Kinetic patterns of microbial amino acid uptake and mineralization in marine water, 241

BAWDEN, C. A., *see* PARSONS, T. R., 547

BENNETT, J. T. and CARPENTER, R., Concentration and temporal variations of ^{210}Po, ^{210}Pb, and Al in the surf zone ecosystem of Copalis Beach, Washington, 127

Benthic environments; Bristol Channel; Wales coast; sediment distribution; sediment transport; tidal currents; wave action, 49

— fauna; community composition; indicator species; New York Bight; sludge dumping; marine pollution, 169

— —; statistical models; Delaware coast; seasonal; coastal, 181

Benthos; clams; fish; New Jersey coast; hypoxia; biological data; mortality; inshore (zone), 421

—; life-cycles; production; Polychaeta; brackish waters, 297

—; seasonal variations; surf zone; Washington coast; polonium; lead; aluminum; diatoms, 127

Biological data; mortality; inshore (zone); benthos; clams; fish; New Jersey coast; hypoxia, 421

Bivalves; intertidal environment; distribution; particle size; predation; North Sea; *Macoma balthica*, 1

BLAKE, R. W., On the exploitation of a natural population of *Nereis virens* sars from the north-east coast of England, 141

BOTTON, M. L., Effects of sewage sludge on the benthic invertebrate community of the inshore New York Bight, 169

Brackish waters; benthos; life-cycles; production; Polychaeta, 297

— —; carbon dioxide; equilibrium; estuaries, 495

— —; lakes; evolution; Ireland; Mysidacea; autecology; social behaviour; feeding habits, 157

Bristol Channel; isotope composition; lead; sediment cores; geochronology; mass spectroscopy; radioactive dating; pollution distribution, 271

— —; Wales coast; sediment distribution; sediment transport; tidal currents; wave action; benthic environments, 49

Britain coast; estuaries; particulate matter; suspended sediment; chemical composition; rivers, 523
Bryozoa; genetics; ecological distribution, 395
BURESH, R. J., *see* DELAUNE, R. D., 477
BURNS, K. A. and TEAL, J. M., The West Falmouth oil spill: hydrocarbons in the salt marsh ecosystem, 349
Burrows; seasonal variations; sediment structure; estuarine fauna; autecology; Narragansett Bay; Stomatopoda, 87
BUTLER, E. I., Nutrient balance in the Western English Channel, 195
Caloric content; weight; seasonal variations; estuarine organisms; condition factor, 411
Canada East Coast; St Lawrence Estuary; Gulf of St Lawrence; isotope ratios; carbon; organic matter; estuarine sedimentation; sediment sources, 213
—; isotope ratios; carbon; oxygen; carbon dioxide; models; paleotemperatures; Saint Lawrence Estuary, 119
— west coast; numerical model; fjord; wind circulation; friction coefficients; mixing, 361
Cape Cod; cysts; red tide; resting spores; trace elements toxicity; shellfish fisheries, 279
CAPUZZO, J. M., The effects of halogen toxicants on survival, feeding and egg production of the Rotifer *Brachionus plicatilis*, 307
Carbon dioxide; equilibrium; estuaries; brackish waters, 495
— —; models; paleotemperatures; Saint Lawrence Estuary; Canada; isotope ratios; carbon; oxygen, 119
—; nitrogen; New Brunswick coast; estuarine sedimentation; organic matter; sediment size; isotopic composition; circulation processes, 23
—; organic matter; estuarine sedimentation; sediment sources; Canada East Coast; St Lawrence; Estuary Gulf of St Lawrence; isotope ratios, 213
—; oxygen; carbon dioxide; models; paleotemperatures; Saint Lawrence Estuary; Canada; isotope ratios, 119
CARPENTER, R., *see* BENNETT, J. T., 127
CHALMERS, A. G., The effects of fertilization on nitrogen distribution in a *Spartina alterniflora* salt marsh, 327
CHAMBERS, M. R. and MILNE, H., Seasonal variation in the condition of some intertidal invertebrates of the Ythan Estuary, Scotland, 411
Chemical composition; rivers; Britain coast; estuaries; particulate matter; suspended sediment, 523
Chesapeake Bay; anadromous fish; ichthyoplankton surveys; variation, 511
Chlorine compounds; toxicity; Rotifera; survival; feeding; eggs, 307
Circulation processes; carbon; nitrogen; New Brunswick coast; estuarine sedimentation; organic matter; sediment size; isotopic composition, 23
Clams; fish; New Jersey coast; hypoxia; biological data; mortality; inshore (zone); benthos, 421
CLIFTON, R. J., *see* HAMILTON, E. I., 271
— and HAMILTON, E. J., Lead-210 chronology in relation to levels of elements in dated sediment core profiles, 259
Coastal; benthic; fauna; statistical models; Delaware coast; seasonal, 181
— flora; production; species diversity; dry weight; submergence; tides; Oregon coast; salt marshes, 399
— lagoons; Texas coast; isotope ratios; food webs; metabolism; nursery grounds; sea grasses; offshore, 499
— waters; sediment sources; North sea; heavy metals; sediments, 387
COLLINS, M., FERENTINOS, G. and BANNER, F. T., The hydrodynamics and sedimentology of a high (tidal and wave) energy embayment (Swansea Bay, northern Bristol Channel), 49
Colonization; aquaculture; *Nereis virens*; exploitation, 141
Community composition; indicator species; New York Bight; sludge dumping; marine pollution; benthic fauna, 169
Composition; estuarine; fauna; River Tees; England; Oligochaeta; Polychaeta, 15
Concentration; San Francisco Bay; distribution; Silica concentrations; silica budget, 489
Condition factor; caloric content; weight; seasonal variations; estuarine organisms, 411
CONTE, M. H., OTTO, R. G. and MILLER, P. E., Short-term variability in surface catches of ichthyoplankton in the Upper Chesapeake Bay, 511

Copper; gechronology; radioactivity measurements; cores; sediments; mines; zinc; lead, 259
Cores; sediments; mines; zinc; lead; copper; gechronology; radioactivity measurements, 259
Cyprinodontiforms; population dynamics; productivity; tidal creek; salt marshes; Delaware coast; mummichogs; killifish, 99
Cysts; red tide; resting spores; trace elements; toxicity; shellfish fisheries; Cape Cod, 279
DeLaune, R. D., Buresh, R. J. and Patrick, W. H. Jr., Relationship of soil properties to standing crop biomass of spartina alterniflora in a Louisiana marsh, 477
Delaware coast; mummichogs; killifish; cyprinodontiforms; population dynamics; productivity; tidal creek; salt marshes, 99
— —; seasonal; coastal; benthic; fauna; statistical models, 181
Demersal fauna; fish; abundance; food organisms; estuarine; upwelling; mussels; Spain coast, 227
Diatoms; benthos; seasonal variations; surf zone; Washington coast; polonium; lead; aluminum, 127
—; estuaries; England coast; hydrocarbons; pollutant, 75
Diffusion-advection models; dispersion; estuarine circulation; exchange coefficients; exchange diffusion; mixing; models; tidal prism, 339
Diffusivity; effective longitudinal; estuarine circulation; salinity data; stratification; numerical model; Hudson River, 555
Dispersion; estuarine circulation; exchange coefficients; exchange diffusion; mixing; models; tidal prism; diffusion-advection models, 339
Distribution; particle size; predation; North Sea; *Macoma balthica*; bivalves; intertidal environment, 1
—; silica concentrations; silica budget; concentration; San Francisco Bay, 489
—; size composition; age composition; environmental conditions; Oregon coast; fish larvae; Pleuronectiformes; abundance, 455
Diurnal variations; tidal estuaries; New England coast; zooplankton; sampling/biological; variation, 565
Dry weight; submergence; tides; Oregon coast; salt marshes; coastal flora; production; species diversity, 399
Dye, A. H., Quantitative estimation of protozoa from sandy substrates, 199
Ecological distribution; bryozoa, genetics, 395
Ecology; nutrients; fucales; Scotland coast; intertidal environment, 205
Chesney, E. J. Jr. and Iglesias, J., Seasonal distribution, abundance and diversity of demersal fishes in the Inner Ria de Arosa, Northwest Spain, 227
Effective longitudinal; estuarine circulation; salinity data; stratification; numerical model; Hudson River; diffusivity, 555
Eggs; chlorine compounds; toxicity; Rotifera; survival; feeding, 307
Eglinton, G., *see* Thompson, S., 75
Eilers, H. P., Production ecology in an Oregon coastal salt marsh, 399
England coast; hydrocarbons; pollutants; diatoms; estuaries, 75
—; oligochaeta; Polychaeta; composition; estuarine; fauna; River Tees, 15
Environmental conditions; Oregon coast; fish larvae; Pleuronectiformes; abundance; distribution; size compositions; age composition, 455
Equilibrium; estuaries; brackish waters; carbon dioxide, 495
Estuaries; brackish waters; carbon dioxide; equilibrium, 495
—; England coast; hydrocarbons; pollutants; diatoms, 75
—; particulate matter; suspended sediment; chemical composition; rivers; Britain coast, 523
Estuarine circulation; exchange coefficients; exchange diffusion; mixing; models; tidal prism; diffusion-advection models; dispersion, 339
— —; salinity data; stratification; numerical model; Hudson River; diffusivity; effective longitudinal, 555
— fauna; autecology; Narragansett Bay; stomatopoda; burrows; seasonal variations; sediment structures, 87
— —; River Tees; England; Oligochaeta; Polychaeta; composition, 15
— flora; Isle of Man; fucales; salinity variations, 433
— organisms; condition factor; caloric content; weight; seasonal variations, 411
— sedimentation; nutrients; organic matter; Louisiana; salt marshes; soil properties; primary production; plant nutrition, 477

— —; organic matter; sediment size; isotopic composition; circulation processes; carbon; nitrogen; New Brunswick coast, 23
— —; sediment sources; Canada East Coast; St Lawrence Estuary; Gulf of St Lawrence; isotope ratios; carbon; organic matter, 213
—; upwelling; mussels; Spain coast; demersal fauna; fish; abundance; food organisms, 227
Estuary; Ireland coast; trace metals; organic matter; sediments, 37
Eulittoral zones; salinity tolerance; adaptation; laboratory methods; Isle of Man; algae; littoral, 251
Evolution; Ireland; Mysidacea; autecology; social behaviour; feeding habits; brackish waters, lakes, 157
Exchange coefficients; exchange diffusion; mixing; models; tidal prism; diffusion-advection models; dispersion; estuarine circulation, 339
— diffusion; mixing; models; tidal prism; diffusion-advection models; dispersion; estuarine circulation; exchange coefficients, 339
Exploitation; colonization; aquaculture; *Nereis virens*, 141
Fauna; River Tees; England; Oligochaeta; Polychaeta; composition; estuarine, 15
—; statistical models; Delaware coast; seasonal; coastal; benthic, 181
Feeding; eggs; chlorine compounds; toxicity; Rotifera; survival, 307
— habits; life cycles; laboratory culture; amphipoda; population dynamics, 547
— —; brackish waters; lakes; evolution; Ireland; Mysidacea; autecology; social behaviour, 157
FERENTINOS, G., *see* COLLINS, M., 49
Fertilization; Sapelo Island; Georgia; nitrogen; salt marshes, 327
Fish; abundance; food organisms; estuarine; upwelling; mussels; Spain coast; demersal fauna, 227
— larvae; Pleuronectiformes; abundance; distribution; size composition; age composition; environmental conditions; Oregon coast, 455
—; New Jersey coast; hypoxia; biological data; mortality; inshore (zone); benthos; clams, 421
Fjord; wind circulation; friction coefficients; mixing; Canada west coast; numerical model, 361
Fluorescence; South Africa coast; protozoa; sand organism, 199
Food organisms; estuarine; upwelling; mussels; Spain coast; demersal fauna; fish; abundance, 227
— webs; metabolism; nursery grounds; sea grasses; offshore; coastal lagoons; Texas coast; isotope ratios, 499
Friction coefficients; mixing; Canada west coast; numerical model; fjord; wind circulation, 361
FRY, B. and PARKER, P. L., Animal diet in Texas seagrass meadows: $\delta^{13}C$ evidence for the importance of benthic plants, 499
Fucales; salinity variations; estuarine flora; Isle of Man, 433
—; Scotland coast; intertidal environment; ecology; nutrients, 205
GARLO, E. V., MILSTEIN, C. B. and JAHN, A. E., Impact of hypoxic conditions in the vicinity of Little Egg Inlet, New Jersey in summer 1976, 421
Genetics; ecological distribution; bryozoa, 395
Geochronology; mass spectroscopy; radioactive dating; pollution distribution; Bristol Channel; isotope composition; lead; sediment cores, 271
—; radioactivity measurements; cores; sediments; mines; zinc; lead; copper, 259
Georgia; nitrogen; salt marshes; fertilization; Sapelo Island, 327
Gulf of St Lawrence; isotope ratios; carbon; organic matter; estuarine sedimentation; sediment sources; Canada east coast; St Lawrence Estuary, 213
HAMILTON, E. I., *see* CLIFTON, R. J., 259
HAMILTON, E. I. and CLIFTON, R. J., Isotope abundances of lead in estuarine sediments, Swansea Bay, Bristol Channel, 271
HEATH, R. A., Resonant over-tide across and along Tasman Bay, New Zealand, 583
Heavy metals; sediments; coastal waters; sediment sources; North Sea, 387
HEIP, C. and HERMAN, R., Production of *Nereis diversicolor* O. F. Muller (Polychaeta) in a shallow brackish-water pond, 297
Heterotrophs; microbial activity; uptake; mineralization; Long Island coast; kinetics; amino acids, 241
HODGINS, D. O., A time-dependent two-layer model of fjord circulation and its application to Alberni Inlet, British Columbia, 361

Hong Kong coast; sand columns; nutrient enrichment; sewage; meiofauna; bacteria; phosphate content, 441
Hudson River; diffusivity; effective longitudinal; estuarine circulation; salinity data; stratification; numerical model, 555
Hydrocarbons; petroleum; salt marsh; marine pollution; Massachusetts coast; oil spills, 349
—; pollutant; diatoms; estuaries; England coast, 75
Hypoxia; biological data; mortality; inshore (zone); benthos; clams; fish; New Jersey coast, 421
Ichthyoplankton surveys; variation; Chesapeake Bay; anadromous fish, 511
IGLESIAS, J., *see* CHESNEY, E. J. Jr., 227
Indicator species; New York Bight; sludge dumping; marine pollution; benthic fauna; community composition, 169
Inshore (zone); benthos; clams; fish; New Jersey coast; hypoxia; biological data; mortality, 421
Intertidal environment; distributions; particle size; predation; North Sea; *Macoma balthica*; bivalves, 1
— —; ecology; nutrients; fucales; Scotland coast, 205
Ireland coast; trace metals; organic matter; sediments; estuary, 37
—; Mysidacea; autecology; social behaviour; feeding habits; brackish water; lakes; evolution, 157
Isle of Man; algae; littoral; eulittoral zones; salinity tolerance; adaption; laboratory methods, 251
— — —; fucales; salinity variations; estuarine flora, 433
Isotope composition; lead; sediment cores; geochronology; mass spectroscopy; radioactive dating; pollution distribution; Bristol Channel, 271
— ratios; carbon; organic matter; estuarine sedimentation; sediment sources; Canada East Coast; St Lawrence Estuary; Gulf of St Lawrence, 213
— —; carbon; oxygen; carbon dioxide; models; paleotemperatures; Saint Lawrence Estuary; Canada, 119
— —; food webs; metabolism; nursery grounds; sea grasses; offshore; coastal lagoons; Texas coast, 499
Isotopic composition; circulation processes; carbon; nitrogen; New Brunswick coast; estuarine sedimentation; organic matter; sediment size, 23
JAHN, A. E., *see* GARLO, E. V., 421
JONES, G. B. and JORDAN, M. B., The distribution of organic material and trace metals in sediments from the River Liffey Estuary, Dublin, 37
JORDAN, M. B., *see* JONES, G. B., 37
KENDALL, M. A., The stability of the deposit feeding community of a mud flat in the River Tees, 15
KHAFAJI, A. K. and NORTON, T. A., The effects of salinity on the distribution of *Fucus ceranoides*, 433
Killifish; cyprindontiforms; population dynamics; productivity; tidal creek; salt marshes; Delaware coast; mummichogs, 99
Kinetics; amino acids; heterotrophs; microbial activity; uptake; mineralization; Long Island coast, 241
KINNER, P., *see* MAURER, D., 181
KOSIUR, D. R. and WARFORD, A. L., Methane production and oxidation in Santa Barbara Basin sediments, 379
Laboratory culture; amphipoda; population dynamics; feeding habits; life cycles, 547
— methods; Isle of Man; algae; littoral; eulittoral zone; salinity tolerance; adaptation, 251
Lakes; evolution; Ireland; Mysidacea; autecology; social behaviour; feeding habits; brackish waters, 157
LAROCKE, J. L. and RICHARDSON, S. L., Winter–spring abundance of larval English sole, *Parophrys vetulus*, between the Columbia River and Cape Blanco, Oregon during 1972–1975 with notes on occurrences of three other Pleuronectids, 455
Lead; aluminum; diatoms; benthos; seasonal variations; surf zone; Washington coast; polonium, 127
—; copper; geochronology; radioactivity measurements; cores; sediments; mines; zinc, 259
—; sediment cores; geochronology; mass spectroscopy; radioactive dating; pollution distribution; Bristol Channel; isotope composition, 271

Leathem, W., *see* Maurer, D., 181
Lee, W. Y. and McAlice, B. J., Sampling variability of marine zooplankton in a tidal estuary, 565
Lewis, R. E., Transverse velocity and salinity variations in the Tees Estuary, 317
Life cycles; laboratory culture; amphipoda; population dynamics; feeding habits, 547
— —; production; Polychaeta; brackish waters; benthos, 297
Littoral; eulittoral zones; salinity tolerance; adaptation; laboratory methods; Isle of Man; algae, 251
Long Island coast; kinetics; amino acid; heterotrophs; microbial activity; uptake; mineralization, 241
Lotrick, V. A., *see* Meredith, W. H., 99
Louisiana; salt marshes; soil properties; primary production; plant nutrition; estuarine sedimentation; nutrients; organic matter, 477
Macoma balthica; bivalves; intertidal environment; distribution; particle size; predation; North Sea, 1
Malloy, S. C., *see* Barvenik, F. W., 241
Marine pollution; benthic fauna; community composition; indicator species; New York Bight; sludge dumping, 169
— —; Massachusetts coast; oil spills; hydrocarbons; petroleum; salt marsh, 349
Massachusetts coast; oil spills; hydrocarbons; petroleum; salt marsh; marine pollution, 349
Mass spectroscopy; radioactive dating; pollution distribution; Bristol Channel; isotope composition; lead; sediment cores; geochronology, 271
Maurer, D., Leathem, W., Kinner, P. and Tinsman, J., Seasonal fluctuations in coastal benthic invertebrate assemblages, 181
McAlice, B. J., *see* Lee, W. Y., 565
Meiofauna; bacteria phosphate content; Hong Kong coast; sand column; nutrient enrichment; sewage, 441
Meredith, W. H. and Lotrich, V. A., Production dynamics of a tidal creek population of *Fundulus heteroclitus* (Linnaeus), 99
Metabolism; nursery grounds; sea grasses; offshore; coastal lagoons; Texas coast; isotope ratios; food webs, 499
Methane; production; oxidation; anoxic basins; sediment; Santa Barbara Basin, 379
Microbial activity; uptake; mineralization; Long Island coast; kinetics; amino acids; heterotrophs, 241
Miller, P. E., *see* Conte, M. H., 511
Milne, H., *see* Chambers, M. R., 411
Milstein, C. B., *see* Garlo, E. V., 421
Mineralization; Long Island coast; kinetics; amino acids; heterotrophs; microbial activity; uptake, 241
Mines; zinc; lead; copper; geochronology; radioactivity measurements; core; sediments, 259
Mixing; Canada west coast; numerical model; fjord; wind circulation; friction coefficients, 361
—; models; tidal prism; diffusion-advection models; dispersion; estuarine circulation; exchange coefficients; exchange diffusion, 339
Models; paleotemperatures; Saint Lawrence Estuary; Canada; isotope ratios; carbon; oxygen; carbon dioxide, 119
—; tidal prism; diffusion-advection models; despersion; estuarine circulation; exchange coefficients; exchange diffusion; mixing, 339
Morel, F. M. M., *see* Anderson, D. M., 279
Mortality; inshore (zone); benthos; clams; fish; New Jersey coast; hypoxia; biological data, 421
Mummichogs; killifish; cyprinodontiforms; population dynamics; productivity; tidal creek; salt marshes; Delaware coast, 99
Mussel; Spain coast; demersal fauna; fish; abundance; food organisms; estuarine; upwelling, 227
Myers, A. C., Summer and winter burrows of a mantis shrimp, *Squilla empusa*, in Narragansett Bay, Rhode Island (U.S.A.), 87
Mysidacea; autecology; social behaviour; feeding habits; brackish waters; lakes; evolution; Ireland, 157

Narragansett Bay; Stomatopoda; burrows; seasonal variations; sediment structures; estuarine fauna; autecology, 87
Nereis virens; exploitation; colonization; aquaculture, 141
New Brunswick coast; estuarine sedimentation; organic matter; sediment size; isotopic composition; circulation processes; carbon; nitrogen, 23
— England coast; zooplankton; sampling/biological; variation; diurnal variations; tidal estuaries, 565
— Jersey coast; hypoxia; biological data; mortality; inshore (zone); benthos; clams; fish, 421
— York Bight; sludge dumping; marine pollution; benthic fauna; community composition; indicator species, 169
Nitrogen; New Brunswick coast; estuarine sedimentation; organic matter; sediment size; isotopic composition; circulation processes; carbon, 23
—; salt marshes; fertilization; Sapelo Island; Georgia, 327
Nonlinear equations; New Zealand coast; tide models; tidal amplitude; tidal currents; resonance, 583
North sea; heavy metals; sediments; coastal waters; sediment sources, 387
— —; *Macoma balthica*; bivalves; intertidal environment; distribution; particle size; predation, 1
NORTON, T. A., *see* KHAFAJI, A. K., 433
NORTON, T. A., *see* SCHONBECK, M., 205
Numerical model; fjord; wind circulation; friction coefficients; mixing; Canada west coast, 361
— —; Hudson River; diffusivity; effective longitudinal; estuarine circulation; salinity data; stratification, 555
Nursery grounds; sea grasses; offshore; coastal lagoons; Texas coast; isotope ratios; food webs; metabolism, 499
Nutrient enrichment; sewage; meiofauna; bacteria; phosphate content; Hong Kong coast; sand columns, 441
Nutrients; fucales; Scotland coast; intertidal environment; ecology, 205
—; organic compounds; plankton production; speciation, 195
—; organic matter; Louisiana; salt marshes; soil properties; primary production; plant nutrition; estuarine sedimentation, 477
OFFICER, C. B., *see* RATTRAY, M., 489
Offshore; coastal lagoons; Texas coast; isotope ratios; food webs; metabolism; nursery grounds; sea grasses, 499
Oil spills; hydrocarbons; petroleum; salt marsh; marine pollution; Massachusetts coast, 349
Oligochaeta; Polychaeta; composition; estuarine; fauna; River Tees; England, 15
Oregon coast; fish larvae; Pleuronectiformes; abundance; distribution; size composition; age composition; environmental conditions, 455
— —; salt marshes; coastal flora; production; species diversity; dry weight; submergence; tides, 399
Organic compounds; plankton production; speciation; nutrients, 195
— matter; estuarine sedimentation; sediment sources; Canada East Coast; St Lawrence Estuary; Gulf of St Lawrence; Isotope ratios; carbon, 213
— —; Louisiana; salt marshes; soil properties; primary production; plant nutrition; estuarine sedimentation; nutrients, 477
— —; sediments; estuary; Ireland coast; trace metals, 37
— —; sediment size; isotopic composition; circulation processes; carbon; nitrogen; New Brunswick coast, 23
OTTO, R. G., *see* CONTE, M. H., 511
Oxidation; anoxic basins; sediments; Santa Barbara Basin; methane; production, 379
Oxygen; carbon dioxide; models; paleotemperatures; Saint Lawrence Estuary; Canada; isotope ratios; carbon, 119
Paleotemperatures; Saint Lawrence Estuary; Canada; isotope ratios; carbon; oxygen; carbon dioxide; models, 119
PARKER, P. L., *see* FRY, B., 499
PARKER, M. and WEST, B., The natural history of *Neomysis integer* (Leach) in Lough Furnace, Co. Mayo, a brackish lough in the West of Ireland, 157

Parsons, T. R. and Bawden, C. A., A controlled ecosystem for the study of the food requirements of amphipod populations, 547
Particulate matter; suspended sediment; chemical composition; rivers; Britain coast; estuaries, 523
Particle size; predation; North Sea; *Macoma balthica*; bivalves; intertidal environment; distribution, 1
Patrick, W. H. Jr, *see* DeLaune, R. D., 477
Petroleum; salt marsh; marine pollution; Massachusetts coast; oil spills; hydrocarbons, 349
Phosphate content; Hong Kong coast; sand columns; nutrient enrichment; sewage; meiofauna; bacteria, 441
Plankton production; speciation; nutrients; organic compounds, 195
Plant nutrition; estuarine sedimentation; nutrients; organic matter; Louisiana; salt marshes; soil properties; primary production, 477
Pleuronectiformes; abundance; distribution; size composition; age composition; environmental conditions; Oregon coast; fish larvae, 455
Pollutant; diatoms; estuaries; England coast; hydrocarbons, 75
Pollution distribution; Bristol Channel; isotope composition; lead; sediment cores; geochronology; mass spectroscopy; radioactive dating, 271
Polonium; lead; aluminum; diatoms; benthos; seasonal variations; surf zone; Washington coast, 127
Polychaeta; composition; estuarine; fauna; River Tees; England; Oligochaeta, 15
Population dynamics; feeding habits; life cycles; laboratory culture; amphipoda, 547
— —; productivity; tidal creek; salt marshes; Delaware coast; mummichogs; killifish; cyprinodontiforms, 99
Polychaeta; brackish waters; benthos; life-cycles; production, 297
Posmentier, E. S. and Raymont, J. M., Variations of longitudinal diffusivity in the Hudson Estuary, 555
Predation; North Sea; *Macoma balthica*; bivalves; intertidal environment; distribution; particle size, 1
Primary production; plant nutrition; estuarine sedimentation; nutrients; organic matter; Louisiana; salt marshes; soil properties, 477
Production; species diversity; dry weight; submergence; tides; Oregon coast; salt marshes; coastal flora, 399
—; oxidation; anoxic basins; sediment; Santa Barbara Basin; methane, 379
—; Polychaeta; brackish waters; benthos; life-cycles, 297
Productivity; tidal creek; salt marshes; Delaware coast; mummichogs; killifish; cyprinodontiforms; population dynamics, 99
Protozoa; sand organism; fluorescence; South Africa coast, 199
Radioactive dating; pollution distribution; Bristol Channel; isotope composition; lead; sediment cores; geochronology; mass spectroscopy, 271
Radioactivity measurements; cores; sediments; mines; zinc; lead; copper; geochronology, 259
Rashid, M. A. and Reinson, G. E., Organic matter in surficial sediments of the Miramichi Estuary, New Brunswick, Canada, 23
Rattray, M. Jr. and Officer, C. B., Distribution of a non-conservative constituent in an estuary with application to the numerical simulation of dissolved silica in the San Francisco Bay, 489
Raymont, J. M., *see* Posmentier, E. S., 555
Reading, C. J., Changes in the downshore distribution of *Macoma balthica* (L.) in relation to shell length, 1
Red tide; resting spores; trace elements; toxicity; shellfish fisheries; Cape Cod; cysts, 279
Reed, R. H. and Russell, G., Adaptation to salinity stress in populations of *Enteromorpha intestinalis* (L.) Link, 251
Reinson, G. E., *see* Rashid, M. A., 23
Resonance; nonlinear equations; New Zealand coast; tide models; tidal amplitude; tidal currents, 583
Resting spores; trace elements; toxicity; shellfish fisheries; Cape Cod; cysts; red tide, 279
Richardson, S. L., *see* Laroche, J. L., 455
River Tees; England; Oligochaeta; Polychaeta; composition; estuarine; fauna, 15

Rivers; Britain coast; estuaries; particulate matter; suspended sediment; chemical composition, 523
Rotifera; survival; feeding; eggs; chlorine compounds; toxicity, 307
RUDD, S., *see* ALLANSON, B. R., 495
RUSSELL, G., *see* REED, R. H., 251
RYLAND, J. S., *see* THORPE, J. P., 395
Saint Lawrence Estuary; Canada; isotope ratios; carbon; oxygen; carbon dioxide; models; paleotemperatures, 119
— — —; Gulf of St Lawrence; isotope ratios; carbon; organic matter; estuarine sedimentation; sediment sources; Canada East Coast, 213
Salinity data; stratification; numerical model; Hudson River; diffusivity; effective longitudinal; estuarine circulation, 555
— tolerance; adaptation; laboratory methods; Isle of Man; algae; littoral; eulittoral zones, 251
— variations; estuarine flora; Isle of Man; fucales, 433
Salt marsh; coastal flora; production; species diversity; dry weight; submergence; tides; Oregon coast, 399
— —; Delaware coast; mummichogs; killifish; cyprinodontiforms; population dynamics; productivity; tidal creek, 99
— —; fertilization; Sapelo Island; Georgia; nitrogen, 327
— —; marine pollution; Massachusetts coast; oil spills; hydrocarbons; petroleum, 349
— —; soil properties; primary production; plant nutrition; estuarine sedimentation; nutrients; organic matter; Louisiana, 477
Sampling/biological; variation; diurnal variations; tidal estuaries; New England coast; zooplankton, 565
Sand columns; nutrient enrichment; sewage; meiofauna; bacteria; phosphate content; Hong Kong coast, 441
— organism; fluorescence; South Africa coast; protozoa, 199
San Francisco Bay; distribution; silica concentration; silica budget; concentration, 489
Santa Barbara Basin; methane; production; oxidation; anoxic basins; sediments, 379
Sapelo Island; Georgia; nitrogen; salt marshes; fertilization, 327
SCHONBECK, M. and NORTON, T. A., The effects of brief periodic submergence on intertidal fucoid algae, 205
Scotland coast; intertidal environment; ecology; nutrients; fucales, 205
Sea grasses; offshore; coastal lagoons; Texas coast; isotope ratios; food webs; metabolism; nursery grounds, 499
Seasonal; coastal; benthic; fauna; statistical models; Delaware coast, 181
— variations; estuarine organisms; condition factor; caloric content; weight, 411
— —; sediment structures; estuarine fauna; autecology; Narragansett Bay; stomatopoda; burrows, 87
— —; surf zone; Washington coast; polonium; lead; aluminum; diatoms; benthos, 127
Sediment distribution; sediment transport; tidal currents; wave action; benthic environments; Bristol Channel; Wales coast, 49
— cores; geochronology; mass spectroscopy; radioactive dating; pollution distribution; Bristol Channel; isotope composition; lead, 271
— sources; Canada East Coast; St Lawrence Estuary; Gulf of St Lawrence; isotope ratios; carbon; organic matter; estuarine sedimentation, 213
— —; North Sea; heavy metals; sediments; coastal waters, 387
— size; isotopic composition; circulation processes; carbon; nitrogen; New Brunswick coast; estuarine sedimentation; organic matter, 23
— structures; estuarine fauna; autecology; Narragansett Bay; Stomatopoda; burrows; seasonal variations, 87
— transport; tidal currents; wave action; benthic environments; Bristol Channel; Wales coast; sediment distribution, 49
Sediments; coastal waters; sediment sources; North Sea; heavy metals, 387
—; estuary; Ireland coast; trace metals; organic matter, 37
—; mines; zinc; lead; copper; geochronology; radioactivity measurements; cores, 259
—; Santa Barbara Basin; methane; production; oxidation; anoxic basins, 379
Sewage; meiofauna; bacteria; phosphate content; Hong Kong coast; sand columns; nutrient enrichment, 441

Shellfish fisheries; Cape Cod; cysts; red tide; resting spores; trace elements; toxicity, 279
Sholkovitz, E. R., Chemical and physical processes controlling the chemical composition of suspended material in the River Tay estuary, 523
Silica budget; concentration; San Francisco Bay; distribution; silica concentrations, 489
— concentrations; silica budget; concentration; San Francisco Bay; distribution, 489
Size composition; age composition; environmental conditions; Oregon coast; fish larvae; Pleuronectiformes; abundance; distribution, 455
Sludge dumping; marine pollution; benthic fauna; community composition; indicator species; New York Bight, 169
Social behaviour; feeding habits; brackish waters; lakes; evolution; Ireland; Mysidacea; autecology, 157
Soil properties; primary production; plant nutrition; estuarine sedimentation; nutrients; organic matter; Louisiana; salt marshes, 477
South Africa coast; protozoa; sand organism; fluorescence, 195
Spain coast; demersal fauna; fish; abundance; food; organisms; estuarine; upwelling; mussel, 227
Speciation; nutrients; organic compounds; plankton production, 195
Species diversity; dry weight; submergence; tides; Oregon coast; salt marshes; coastal flora; production, 399
Statistical models; Delaware coast; seasonal; coastal; benthic; fauna, 181
Stirling, H. P., *see* Wormald, A. P., 441
Stomatopoda; burrows; seasonal variations; sediment structure; estuarine fauna; autecology; Narragansett Bay, 87
Strain, P. M. and Tan, F. C., Carbon and oxygen isotope ratios in the Saguenay Fjord and the St Lawrence Estuary and their implications for paleoenvironmental studies, 119
Strain, P. M., *see* Tan, F. C., 213
Stratification; numerical model; Hudson River; diffusivity; effective longitudinal; estuarine circulation; salinity data, 555
Submergence; tides; Oregon coast; salt marshes; coastal flora; production; species diversity; dry weight, 399
Surf zone; Washington coast; polonium; lead; aluminum; diatoms; benthos; seasonal variations, 127
Survival; feeding; eggs; chlorine compounds; toxicity; Rotifera, 307
Suspended sediment; chemical composition; rivers; Britain coast; estuaries; particulate matter, 523
Tan, F. C. and Strain, P. M., Organic carbon isotope ratios in recent sediments in the St Lawrence Estuary and the Gulf of St Lawrence, 213
Tan, F. C., *see* Strain, P. M., 119
Taylor, D., The effect of discharges form three industrialized estuaries on the distribution of heavy metals in the coastal sediments of the North Sea, 387
Teal, J. M., *see* Burns, K. A., 349
Texas coast; isotope ratios; food webs; metabolism; nursery grounds; sea grasses; offshore; coastal lagoons, 499
Thompson, S. and Eglinton, G., The presence of pollutant hydrocarbons in estuarine epipelic diatom populations. II. Diatom slimes, 75
Thorpe, J. P. and Ryland, J. S., Cryptic speciation detected by biochemical genetics in three ecologically important intertidal bryozoans, 395
Tidal amplitude; tidal currents; resonance; nonlinear equations; New Zealand coast; tide models, 583
— creek; salt marshes; Delaware coast; mummichogs; killifish; cyprinodontiforms; population dynamics; productivity, 99
— currents; resonance; nonlinear equations; New Zealand coast; tide models; tidal amplitude, 583
— —; wave action; benthic environments; Bristol Channel; Wales coast; sediment distribution; sediment transport, 49
— estuaries; New England coast; zooplankton; sampling/biological; variation; diurnal variations, 565

— prism; diffusion-advection models; despersion; estuarine circulation; exchange coefficients; exchange diffusion; mixing; models, 339
Tide models; tidal amplitude; tidal currents; resonance; nonlinear equations; New Zealand coast, 583
Tides; Oregon coast; salt marshes; coastal flora; production; species diversity; dry weight; submergence, 399
TINSMAN, J., *see* MAURER, D., 181
Trace elements; toxicity; shellfish fisheries; Cape Cod; cysts; red tide; resting spores, 279
— metals; organic matter; sediments; estuary; Ireland coast, 37
Toxicity; Rotifera; survival; feeding; eggs; chlorine compounds, 307
—; shellfish fisheries; Cape Cod; cysts; red tide; resting spores; trace elements, 279
Uptake; mineralization; Long Island coast; kinetics; amino acids; heterotrophs; microbial activity, 241
Upwelling; mussel; Spain coast; demersal fauna; fish; abundance; food organisms; estuarine; 227
Variation; Chesapeake Bay; anadromous fish; ichthyoplankton surveys, 511
—; diurnal variations; tidal estuaries; New England coast; zooplankton; sampling/biological, 565
Wales coast; sediment distribution; sediment transport; tidal currents; wave action; benthic environments; Bristol Channel, 49
WARFORD, A. L., *see* KOSIUR, D. R., 379
Washington coast; polonium; lead; aluminum; diatoms; benthos; seasonal variations; surf zone, 127
Wave action; benthic environments; Bristol Channel; Wales coast; sediment distribution; sediment transport; tidal currents, 49
Weight; seasonal variations; estuarine organisms; condition factor; caloric content, 411
WEST, B., *see* PARKER, M., 157
Wind circulation; friction coefficients; mixing; Canada west coast; numerical model; fjord, 361
WOOD, T., A modification of existing simple segmented tidal prism models of mixing in estuaries, 339
WORMALD, A. P. and STIRLING, H. P., A preliminary investigation of nutrient enrichment in experimental sand columns and its effects on tropical intertidal bacteria and meiofauna, 441
Zinc; lead; copper; geochronology; radioactivity measurements; cores; sediments; mines, 259
Zooplankton; sampling/biological; variation; diurnal variations; tidal estuaries; New England coast, 565